

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022  
Issue date: 02-18-2026 Revision date: 02-18-2026 Version: 1.0

### SECTION 1 Identification

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : Paslude Cordless Lubricating Oil  
Product code : 401482

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

#### 1.4. Supplier's details

##### Supplier

ITW Construction Products Canada  
120 Travail Road  
Markham, ON, L3S 3J1  
T 905-471-7403

#### 1.5. Emergency phone number

Emergency number : CANUTEC 24-hour number (613-996-6666).

### SECTION 2 Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Reproductive toxicity, Category 2 H361 Suspected of damaging fertility or the unborn child.

#### 2.2. GHS label elements, including precautionary statements

##### GHS CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS CA) : Warning

Hazard statements (GHS-CA) : H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS-CA) :

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P308+P313 - IF exposed or concerned: Get medical advice or attention.  
P405 - Store locked up.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

#### 2.3. Other hazards which do not result in classification

No additional information available

# Pasode Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### 2.4. Unknown acute toxicity

Not applicable

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)Weight
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	N-Phenylbenzenamine, reaction product with diisobutylene / Mixed octylated diphenylamine / N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene / N-Phenylbenzenamine, reaction product with 2,4,4-trimethylpentene / Octylated/butylated diphenylamine / 4,4'-Bis(2,4,4-trimethylpentyl)diphenylamine / Reaction product of diphenylamine with 2,4,4-trimethylpentene / Reaction products of: diphenylamine; 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	1 - 5

Full text of hazard classes and H-statements : see section 16

\*Chemical name, CAS number and/or exact concentration have been withheld as CBI

## SECTION 4 First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: Suspected of damaging fertility or the unborn child.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

## SECTION 5 Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water spray. fog. Foam.
Unsuitable extinguishing media	: Do not use water jet.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours. Toxic gases.
-------------	--

### 5.3. Special protective actions for fire-fighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Environmental precautions	: Prevent entry to sewers and public waters.

### 6.2. Methods and materials for containment and cleaning up

For containment	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Obtain special instructions before use. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Do not handle until all safety precautions have been read and understood. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.
--------------------	---

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

##### Hand protection:

Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.

##### Eye protection:

Safety glasses or goggles are recommended when using product.

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

##### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

### SECTION 9 Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oil.
Colour	: Nearly colourless
Odour	: Mild
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 290 °C ASTM D-92
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 ASTM D-4052
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

Viscosity, kinematic	: 130 mm <sup>2</sup> /s ASTM D-445
Explosive limits	: No data available
Particle characteristics	: No data available

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Boiling point	> 300 °C Atm. press.: 989 mBar
Flash point	154 °C Atm. press.: 981 mBar
Vapour pressure	0.0015 Pa Temp.: 20 °C
Particle characteristics	No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

Reactivity	: No dangerous reactions known under normal conditions of use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Heat. Incompatible materials.
Incompatible materials	: Strong oxidizers.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon.
Hardening time:	: No additional information available

## SECTION 11 Toxicological information

### 11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HP V)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)

Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified.

Paslude Cordless Lubricating Oil	
Viscosity, kinematic	130 mm <sup>2</sup> /s ASTM D-445

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Viscosity, kinematic	352.7 mm <sup>2</sup> /s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: Suspected of damaging fertility or the unborn child.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12 Ecological information

### 12.1. Toxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
EC50 - Crustacea [1]	51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### 12.2. Persistence and degradability

Paslude Cordless Lubricating Oil	
Persistence and degradability	Not established.

  

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

Paslude Cordless Lubricating Oil	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone	: Not classified.
Other information	: No other effects known.
Fluorinated greenhouse gases	: No

## SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--	---

## SECTION 14 Transport information

In accordance with TDG

# Paslude Cordless Lubricating Oil

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### 14.1. UN Number

UN-No. (TDG) : Not regulated

### 14.2. UN Proper Shipping Name

Proper Shipping Name (TDG) : Not regulated

### 14.3. Transport hazard class(es)

#### TDG

Transport hazard class(es) (TDG) : Not regulated

### 14.4. Packing group, if applicable

Packing group (TDG) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### TDG

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78<sup>9</sup> and the IBC Code<sup>10</sup>

Not applicable

## SECTION 15 Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

## SECTION 16 Other Information

Issue date : 02-18-2026

Revision date : 02-18-2026

Other information : None.

Prepared by : Nexreg Compliance Inc.

[www.Nexreg.com](http://www.Nexreg.com)



### Full text of hazard classes and H-statements:

H361	Suspected of damaging fertility or the unborn child
------	---

Safety Data Sheet (SDS), Canada - Nexreg 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.